

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVS4715ADC	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 06/24/2010
NAME OF PROVIDER OR SUPPLIER NEVADA ADULT DAY HEALTHCARE CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 2008 SOUTH JONES BLVD LAS VEGAS, NV 89146		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
U 000	<p>INITIAL COMMENTS</p> <p>This Statement of Deficiencies was generated as a result of the State Licensure survey conducted at your facility on 6/24/10.</p> <p>The survey was conducted using Nevada Administrative Code (NAC) 449, Facilities For Care Of Adults During The Day, regulations adopted by the Nevada State Board of Health on June 23, 1986.</p> <p>The facility was licensed for 120 total day care clients. The census at the time of the survey was 87. Twenty-one resident files were reviewed and ten employee files were reviewed.</p> <p>The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws.</p> <p>The following regulatory deficiencies were identified:</p>	U 000		
U 56 SS=E	<p>449.4072 DIRECTOR AND EMPLOYEES</p> <p>3. Every employee of the facility: (b) Shall provide the division: (1) upon his initial employment, with the results of a physical examination conducted within the preceding 6 months, or with a copy of his medical records for the preceding 3 years, certified by a physician.</p> <p>This Regulation is not met as evidenced by: Based upon record review on 6/24/10, the facility failed to ensure 3 of 10 sampled employees had a pre-employment physical examination (Employee #6, #7, and #8).</p>	U 56		

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVS4715ADC	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 06/24/2010
NAME OF PROVIDER OR SUPPLIER NEVADA ADULT DAY HEALTHCARE CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 2008 SOUTH JONES BLVD LAS VEGAS, NV 89146		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
U 56	Continued From page 1 Severity: 2 Scope :2	U 56		
U 57 SS=E	449.4072 DIRECTOR AND EMPLOYEES 3. Every employee of the facility: (b) Shall provide the division: (2) Upon his initial employment, with a negative report of a tuberculin test conducted within the preceding 6 months. Thereafter, a tuberculin test must be completed every 2 years. If the report of the tuberculin test is positive, he shall provide an X-ray film of his chest. This Regulation is not met as evidenced by: Based upon record review on 6/24/10, the facility failed to ensure 5 of 10 sampled employees had a current two-step Tuberculin skin test (Employee #1 - missing the second step TB test, #2 - missing a two-step TB test, #3 - chest x-ray but missing evidence of a positive TB test, #4 - missing a two-step TB test and #6 - missing a two-step TB test). Severity: 2 Scope: 3	U 57		
U 72 SS=F	449.40725 Orientation and Training of Employees All employees and volunteers at the facility: 3. Must receive training at the facility on a regular basis, but not less than 12 hours per year. This Regulation is not met as evidenced by: Based on record review and interview on 6/24/10, the facility failed to ensure 10 of 10 employees received not less than 12 hours of training per year (Employee #1, #2, #3, #4, #5, #6, #7, #8, #9 and #10). Severity: 2 Scope: 3	U 72		

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVS4715ADC	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/24/2010
NAME OF PROVIDER OR SUPPLIER NEVADA ADULT DAY HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 2008 SOUTH JONES BLVD LAS VEGAS, NV 89146		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
U9999	Continued From page 2	U9999			
U9999	<p>Final Comment</p> <p>Final Comment</p> <p>The facility must show evidence of compliance with the provisions of chapter 441A of NRS regarding tuberculin testing and the regulations adopted pursuant thereto.</p> <p>Based upon record review on 6/24/10, the facility failed to ensure 14 of 21 sampled clients had a current Tuberculin skin test (Client #1, #4, #7 - missing evidence of a positive TB test; Client #3, #5, #8, #9, #15, #18 - missing evidence of a two-step TB test; Client #6, #13, #14, #16, #21 - missing a second step TB test).</p> <p>Severity: 2 Scope: 3</p>	U9999			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.